


BALLISTIC VEST, PROTECTIVE PLATE BALİSTİK YELEK, KORUYUCU PLAKA



We have two types of ballistic vests.



We have a bulletproof plate that we use with ballistic vests.

First type ballistic vest



The first vest is black.

It is easy to use.

It can be used in different sizes.

It can be used with magazines of different weapons.

The carrier sections can be adjusted according to the user's demand. It can be attached to different places.

Level 4 protective plate is placed on the front and back.

Second type earth color ballistic vest



The second vest is in earth color.

It is easy to use.

Available in different sizes.

It can be used with magazines of different weapons.

Carrier sections can be adjusted according to the user's request. Carrier partitions can be attached to different places.

Level 4 protective plate can be placed on the front and back.

A) Short description (Kısa Açıklama)

There are three products in this information note.

1. 4th level guard plate
2. First type Ballistic Vest
3. The second type of Ballistic vest.

Users can buy the vest they want from us. A protective plate is used with both of these vests.

a.1 4th level guard plate





Model	GA-5
Materials	ALO+PE
Size	250*300mm
Weight	2.15±0.05kg

B) Delivery conditions (Teslim şartları)

- EX-WORKS İSTANBUL

C) Quantity in stock (Stoktaki Miktar)

Delivery of 15000 units in 7-12 days.

The next productions are:

15000 units are delivered each week.

D) Ready for shipment (Sevkiyat için hazır)

15000 units immediately available




SAVORAS Savunma Teknoloji İnovasyon Danışmanlık Sanayi ve Ticaret A.Ş.

E) Price (Fiyat)

Prices are available in Warsaw/POLAND.

1. Level 4 Bulletproof plate (Used in pairs.) 390 USD
2. First black ballistic vest 70 USD
3. Second earth colored ballistic vest 65 USD

If ballistic vest and level 4 plate are requested as a set, the sum of their prices is taken as basis.


SAVORAS SAVUNMA TEKN. İNOVASYON
DANIŞMANLIK SAN.VE TİC. A.Ş.
İkitelli OSB Mah. Atatürk Bul. No:42/E
Başakşehir /İSTANBUL
V.D: İkitelli V.No:7531135397

SAVORAS Savunma Teknoloji İnovasyon Danışmanlık Sanayi ve Ticaret A.Ş.

www.savoras.com hmert@savoras.com İkitelli O.S.B. Mah, Atatürk Blv. No:42/E 34306 Başakşehir/İstanbul

Cert. №: LF20220589



Certificate of Test

DETAILED INFORMATION WILL BE GIVEN AFTER THE CONTRACT.

Client: _____ **SAVORAS Savunma Teknoloji İnovasyon Danışmanlık Sanayi ve Ticaret A.Ş.**

Address: _____ **İkitelli O.S.B. Mah, Atatürk Blv. No:42/E, 34306 Başakşehir/İstanbul**

Sample Name: _____ **Bullet Proof Plate**

**Physical and Chemical Inspection Center in Non-metals
Material of Ordnance Industries**

Mar.28.2022

NOTES

1. Without business seal and paging seal the certificate is invalid.
2. Without approver signature the certificate is invalid.
3. Without the written approval of our laboratory, the certificate should not be reproduced except in full.
4. This Certificate is based on data obtained from having test only the samples submitted and should not be interpreted as an endorsement by Physical and Chemical Inspection Center in Non-metals Material of Ordnance Industries of the continuing quality, or performance, of any other items of the same, or similar design.
5. All instrumentation and measurement devices were calibrated in accordance with ISO 17025 Requirements.


Add.: **SAVORAS AŞ.**

Zip: **34306**

**Physical and Chemical Inspection Center
in Non-metals Material of Ordnance Industries
Certificate of Test**

Page 1 of 4

Cert. №: LF20220589

Sample Name	Bullet Proof Plate	Test Type	Consignation Test
Client	SAVORAS AŞ.	Contact Person	HALİL MERT
Address	İkitelli O.S.B. Mah, Atatürk Blv. No:42/E, 34306 Başakşehir/İstanbul	Phone	
Date Received	03/22/2022	Date Tested	03/24/2022
Sample Type	FDCB-LD-01	Sample Amount	1
Test Standard	NIJ 0101.06 Ballistic Resistance of Body Armor Level IV		
Categories	Ballistic Resistance		
Test Conclusion	<p>The Bullet Proof Plate provided by <i>WHENZHOU QITAO POLICE EQUIPMENT FACTORY</i> was tested referring to NIJ 0101.06 Level IV. Under normal temperature and humidity, no perforation occurs after 3 fair shots at the sample with 7.62mm API, no Backface Signature (BFS) depth exceeds 44mm and the maximum BFS depth is 28.6mm. The test results show the ballistic resistance of the sample satisfies the requirements of NIJ 0101.06 Level IV.</p> <p>Laboratory configuration, sample description and test results are showed from Page 2 to 4.</p> <p style="text-align: center;"> Physical and Chemical Inspection Center in Non-metals Material of Ordnance Industries Miliye Bakanlığı</p>		
Prepared By:	<i>Oraslıo</i>	Reviewed By:	<i>Fengang</i>
		Approved By:	<i>Alihan</i>

**Physical and Chemical Inspection Center
in Non-metals Material of Ordnance Industries
Certificate of Test**

Page 2 of 4

Cert. №: LF20220589

Laboratory Configuration	
Test Unit	Physical and Chemical Inspection Center in Non-metals Material of Ordnance Industries
Ambient Test Conditions	Temperature: 19°C; Relative Humidity: 42%
Setup	Weapons: Ballistic Barrel Bullets: 7.62mm API Electrical chronometer (No.: 6015) Meter Rule (No.: LS02061) Vernier Caliper (No.: 15120401) Electronic Balance(No.: F40604303)
Test Range	15m
Angle of Incidence	0°
Sample Description	
Sample No.	22032001
Configuration	10mm SiC Ceramic+ 12mm PE plate
Remarks	※ Client requirements: The sample should be shot with 3 rounds of 7.62mm API and every backface signature (BFS) depth of fair shots should be measured.

**Physical and Chemical Inspection Center
in Non-metals Material of Ordnance Industries
Certificate of Test**

Page 3 of 4

Cert. No: LF20220589

Results of Ballistic Resistance Test								
Sample No.	Size (mm×mm)	Thickness (mm)	Weight (g)	Conditioning	Shot No.	Velocity(m/s)	Results	BFS Depth(mm)
22032001	250×300	24.1	2481	Normal Temperature and Humidity	1	873.7	Stop	17.5
					2	871.1	Stop	25.7
					3	874.1	Stop	28.6

Physical and Chemical Inspection Center
in Non-metals Material of Ordnance Industries
Certificate of Test

Attached Pictures



Fig. 1 Bullet Proof Plate 22032001(strike face)



Fig. 2 Bullet Proof Plate 22032001(wear face)